

Message

From: Ho, Yenhung [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0373CF6F13A849F1BB61BB1D1B64F981-YHO]
Sent: 7/8/2021 7:00:20 PM
To: Newman, Sharon [Newman.Sharon@epa.gov]
CC: McEvoy, Molly [mcevoy.molly@epa.gov]; Feuer, Daniel [Feuer.Daniel@epa.gov]
Subject: FW: Draft CES Permit
Attachments: CES Draft Class VI Permit 7-6-21 (R9 ORC + HQ + CH).docx

I took a second look at Sharon's comment on page 29 of the attachment regarding PISC monitoring timeframe. CES did propose an alternative timeframe for 10 years.

From: Ho, Yenhung
Sent: Tuesday, July 6, 2021 3:06 PM
To: Newman, Sharon <Newman.Sharon@epa.gov>
Cc: McEvoy, Molly <mcevoy.molly@epa.gov>; Feuer, Daniel <Feuer.Daniel@epa.gov>
Subject: RE: Draft CES Permit

Hi All,

Thank you for your comments. I have incorporate into/respond to them in the attached. Note that I have also included our ORC's in this document. Please let me know if you have any further comments.

Thanks,
Calvin

From: Newman, Sharon <Newman.Sharon@epa.gov>
Sent: Wednesday, June 30, 2021 5:26 PM
To: Ho, Yenhung <Ho.Yenhung@epa.gov>
Cc: McEvoy, Molly <mcevoy.molly@epa.gov>; Feuer, Daniel <Feuer.Daniel@epa.gov>
Subject: Draft CES Permit

Hi Calvin,

Attached is the draft CES Class VI permit with comments from HQ. Thanks!

Best,
Sharon

Sharon Newman
Office of Ground Water & Drinking Water
U.S. Environmental Protection Agency
Washington, D.C.
(202) 564-8136